



FAIRFAX PLANT HIRE

40 YEARS OF PROVEN PLANT HIRE EXPERIENCE | EXTENSIVE FLEET COMPRISING OF 2000 MACHINES

FAIRFAX

PLANT HIRE

ABOUT US

Fairfax Plant Hire are more than just a plant hire provider - we're a trusted, family-run business with over 40 years of experience delivering dependable equipment and expert support across Yorkshire, The Midlands and Beyond.

Over the past four decades, Fairfax Plant Hire has grown into one of the most respected names within the plant hire industry. We have built a reputation for providing a modern reliable fleet, dependable service, with a genuine commitment to our customers, we've built a reputation for quality, safety and reliability.

Our three plant depots in Leeds, Selby and Hull are strategically situated along key transport routes, we're perfectly placed to deliver machinery quickly and efficiently across the region and beyond.

PLANT & MACHINERY

Excavators.....	4 – 6
Dumpers.....	8 – 9
Rollers & Compaction.....	10 – 11
Telehandlers	12
Dozers	14
Powered Access.....	15
Forklifts & Skid Steer Loaders.....	16

SITE SUPPORT & SPECIALIST EQUIPMENT

Excavator Attachments	7
Telehandler Attachments.....	13
Fuel & Water Bowers	17

PLANT & MACHINERY



Excavators



Dumpers



Dozers



Rollers & Compaction



Telehandlers



Powered Access



Forklifts



Skid Steer Loaders

SITE SUPPORT & SPECIALIST EQUIPMENT



Fuel & Water Bowers



Attachments



SCAN HERE
TO VIEW WEBSITE

CALL OUR TEAM NOW ON **0330 119 8555**

FAIRFAX
PLANT HIRE

Excavators

With over 1,000 high-spec excavators in our fleet, ranging from 1-Tonne micros to 49-Tonne. Fairfax Plant Hire has the right machine for every job. Choose from tracked or wheeled, long-reach, zero tail-swing, or electric options, all ready to work across the North, Midlands, and beyond.

Trusted Brands

HITACHI TAKEUCHI KOMATSU



KOBELCO



SANY

Kubota

JCB

SCAN HERE



Features as standard

- ✓ Amber & green seat belt beacons
- ✓ Twin-lock quick hitches with lifting eyes
- ✓ GPS tracking & telematics
- ✓ Anti-theft immobiliser systems
- ✓ Stage IV & V low-emission engines



Excavator Hire - Available With:

- ✓ Bio-degradable Hydraulic Oil Conversions
- ✓ GPS Machine Guidance - Leica, TopCon and Trimble
- ✓ RCI/Sli Complete with Height and Slew - "Prolec & X-Watch"
- ✓ Human Form Recognition Systems "Global Safety Shield"
- ✓ Forward Facing and 360° Recording Cameras
- ✓ Remote Banksman Cut-Out Systems
- ✓ Diesel Exhaust Filters for Smaller Machines



MICRO, MINI, MIDI & ELECTRIC EXCAVATORS 1-8.5 TONNE

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	DIG DEPTH
Kubota K008-3	1.0T	980kg	700mm	2230mm	3m	1.7m
Kubota K008-5	1.0T	1050kg	700mm	2260mm	3m	1.7m
Kubota U10-5	1.2T	1200kg	750mm	2260mm	3.3m	1.8m
Kubota U10-3	1.2T	1120kg	750mm	2230mm	3.3m	1.8m
Kubota KXD15-4	1.5T	1470kg	990mm	2350mm	3.7m	2.2m
Kubota KXD16-4	1.5T	1540kg	990mm	2350mm	3.7m	2.2m
Sany SY19E (Fully electric)	1.5T	1965kg	980mm	2410mm	4m	2.3m
Kubota U27-4	2.7T	2590kg	1500mm	2430mm	4.6m	2.8m
Kubota U50-5	5.0T	4965kg	1960mm	2550mm	6.1m	3.8m
Caterpillar 305CR	5.5T	5754kg	1980mm	2550mm	5.9m	3.6m
Kubota U55-4	5.5T	5400kg	1960mm	2550mm	5.9m	3.6m
Kubota U56-5	5.5T	5595kg	1960mm	2550mm	6.1m	3.8m
Caterpillar 308 CR	8.5T	8440kg	2300mm	2541mm	7.1m	4.1m
Hitachi ZAXIS ZX85USB-5A	8.5T	8880kg	2260mm	2530mm	7.7m	4.5m
Kubota KX085-5	8.5T	8467kg	2200mm	2540mm	7.3m	4.2m
Takeuchi TB290	8.5T	8800kg	2200mm	2550mm	7.2m	4.6m

WHEELED EXCAVATORS 9-17 TONNE

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	DIG DEPTH
JCB 3CX	8.0T	7725kg	2440mm	2870mm	6.7m	4.7m
Takeuchi TB295W	9.0T	10126kg	2335mm	3010mm	6.6m	3.9m
Hitachi ZX140W-6	14.0T	14800kg	2530mm	3130mm	8.8m	5.2m
Hitachi ZX150W-7	15.0T	15300kg	2470mm	3150mm	8.5m	4.9m
Komatsu PW160-11	16.0T	18190kg	2550mm	3260mm	9.3m	5.8m
Hitachi ZX170W-6	17.0T	18600kg	2730mm	3220mm	9.5m	5.8m

CALL OUR TEAM NOW ON **0330 119 8555**



LARGE EXCAVATORS 13-49 TONNE

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	DIG DEPTH
Caterpillar 313GC	13.0T	13800kg	2690mm	2830mm	8.6m	6m
Kobelco SK130LC-11	13.0T	14700kg	2690mm	2960mm	9.2m	6.1m
Komatsu PC138US-11	13.0T	14430kg	2690mm	3150mm	8.6m	5.9m
Hitachi ZX135US-6	13.5T	14500kg	2690mm	2790mm	8.8m	5.9m
Hitachi ZX135USB-6 c/w Blade	13.5T Reduced tailswing	15500kg	2690mm	2870mm	8.7m	5.9m
Kobelco SK140 SRLC -7	14.0T Reduced Tailswing	15200kg	2690mm	2870mm	8.8m	5.9m
Kobelco SK140 SRLC -7 c/w Blade	14.0T Reduced Tailswing	16500kg	2690mm	2870mm	8.8m	5.9m
Sany SY155U C/W Blade	15.0T c/w Blade	16170kg	2690mm	2820mm	8.7m	6m
Kobelco SK210LC-11	22.0T	22100kg	3090mm	3060mm	9.8m	6.6m
Komatsu PC210LC-11	22.0T	23310kg	3080mm	2990mm	9.8m	6.6m
Komatsu PC228USLC-11	23.0T Reduced Tailswing	24150kg	3080mm	3065mm	9.8m	6.6m
JCB 245XR	24.0T Reduced tailswing	25292kg	3090mm	3537mm	9.9m	6.6m
Komatsu PC290LC-11	30.0T	32280kg	3390mm	3180mm	10.8m	7.2m
Komatsu PC360LC-113	36.0T	36280kg	3290mm	3285mm	11.1m	7.3m
Komatsu PC490LC-114	49.0T	47370kg	3190mm	3280mm	13m	9m

LONG REACH EXCAVATORS 13-37 TONNE

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	DIG DEPTH
komatsu PC138US-11SLF	13.0T	15300kg	2690mm	2815mm	12.2m	12.3m
Case CX130D	13.0T	15400kg	2590mm	2810mm	13m	12m
Case CX210C	21.0T	23300kg	3190mm	3070mm	15.6m	12m
Komatsu PC210-LC-11SLF	21.0T	23470kg	2980mm	3045mm	15.4m	11.7m
JCB JS370LC	37.0T	41149kg	3300mm	3359mm	21m	17m

GPS MACHINE GUIDANCE

At Fairfax, we use industry-leading GPS machine guidance systems from Leica, Topcon, and Trimble. These trusted names in construction technology provide accurate, efficient, and reliable solutions to support precision digging, grading, and earthmoving. By equipping our fleet with the latest GPS technology, we help our customers achieve faster project delivery, reduced rework, and greater on-site productivity.



Excavator Attachments

Fairfax offers a wide range of excavator attachments to suit all site requirements, from small-scale jobs to heavy-duty projects. Our attachments are available for all excavator sizes, giving you the flexibility to work smarter and faster.

Excavator Attachments:

- ✓ **Compaction Plate**
- ✓ **Hydraulic Breaker**
- ✓ **Hydraulic Auger**
- ✓ **Concrete Pouring Bucket**
- ✓ **Piling Hammer**
- ✓ **Rotating Selector Grab**
- ✓ **Excavator Forks**
- ✓ **Pipe Laying Hook**
- ✓ **Tilting, Ditching Bucket**
- ✓ **Fixed Head Pulverisior**
- ✓ **Riddle Bucket**
- ✓ **Ripper Tooth**



And if you don't see the attachment, you need listed
– just give us a call, and we'll get it sorted.

Dumpers



Fairfax runs one of the largest, best-maintained dumper fleets in the region, with machines ranging from 0.5-tonne tracked

skip loaders to 30-tonne articulated dump trucks including **ELECTRIC options** for low-emission sites.

Whether you're working on a compact housing plot or a high-volume muck shift, our dumper hire solutions deliver efficiency, safety, and power where you need it most.

Trusted Brands

SCAN HERE



TRACKED SKIP LOADERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
JCB	0.5T High Tip	475kg	690mm	1100mm
Messersi	0.5T High Tip	550kg	660mm	1249mm

HI-TIP DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
JCB 1TE (fully electric)	1.0T High Tip	1625kg	1126mm	2792mm
Thwaites	1.0T High Tip	1295kg	1115mm	2860mm
Thwaites	2.0T High Tip Swivel	2270kg	1475mm	3037mm

FORWARD TIP DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Thwaites	3.0T Forward Tip	2010kg	1650mm	3092mm
Thwaites	6.0T Forward Tip	4200kg	2240mm	3430mm
Thwaites	9.0T Forward Tip	4740kg	2485mm	3335mm

SWIVEL TIP DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Thwaites	2.3T Swivel Tip	2150kg	1471mm	3053mm
Thwaites	3.0T Swivel Tip	2160kg	1650mm	3092mm
Thwaites	6.0T Swivel Tip ROPS OR FULLY CABBED	4240kg	2280mm	3430mm
Thwaites	9.0T Swivel Tip	5400kg	2280mm	3450mm

CABBED DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Thwaites	6.0T Forward Tip	4565kg	2240mm	3450mm
Thwaites	6.0T Swivel Tip	4750kg	2280mm	3450mm
Thwaites	9.0T Forward Tip	5330kg	2485mm	3588mm

DUAL VIEW CABBED DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Wacker Neuson	6.0T Dual View Swivel Tip	4114kg	2328mm	3078mm
Wacker Neuson	9.0T Dual View Forward Tip	5444kg	2524mm	3620mm
Wacker Neuson	9.0T Dual View Swivel Tip	5101kg	2420mm	3483mm
Yanmar		6015kg	2730mm	2730mm

Dumper Hire - Available With:

- ✓ **Collision Avoidance “VCAS” & Remote Banksman Cut-Out**
- ✓ **360° Cameras, Global Safety Shield & Road Lights / Road Tax**
- ✓ **Diesel Exhaust Fume Control Filters & Bio Hydraulic Oil**

TRACKED DUMPERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Canycom	3.0T Swivel Rear Tip - Dual View Seat	2690kg	1620mm	2370mm
Yanmar	5.0T Swivel Rear Tip - Dual View Seat	6015kg	2200mm	2730mm
Takeuchi	5.0T Swivel Rear Tip	6550kg	2200mm	2725mm
Morooka	7.0T Rear Tip - 360 Rotating Body	11500kg	2600mm	3230mm
Morooka	7.0T Straight Rear Tip	10900kg	2650mm	2910mm

ARTICULATED DUMP TRUCKS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Hydrema	10.0T Rear Tip - Low Ground Pressure	7270kg	2490mm	2750mm
Bell	20.0T Rear Tip - Low Ground Pressure	15260kg	2550mm	3595mm
Komatsu	30.0T Rear Tip	25395kg	2900mm	3620mm
Bell	30.0T Rear Tip	18763kg	2998mm	3661mm



CALL OUR TEAM NOW ON **0330 119 8555**

FAIRFAX
PLANT HIRE

Rollers & Compaction



Our fleet of rollers and compaction plates are hand-picked from trusted names in performance and durability.

SCAN HERE



Trusted Brands



HAMM

COMPACTION PLATES

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Wacker Newson VP1030A	300Mm Petrol	50kg	300mm	900mm
Wacker Neuson VP1135A	350mm Petrol	61kg	330mm	918mm
Wacker Neuson DPU2540H	400mm Diesel Forward/reverse	160kg	400mm	1097mm
Altrad Belle SC4500E	450mm Petrol	91kg	450mm	987mm

PEDESTRIAN ROLLERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Bomag BW55E	550mm Petrol Single Drum Roller	141kg	560mm	900mm
Bomag BW71E-2	710mm Diesel Single Drum Roller	488kg	825mm	1245mm

TRENCH ROLLERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Wacker Neuson RT82-SC2	650mm Remote Control	1497kg	650mm	1230mm
Bomag BMP8500	650mm Remote Control	1585kg	650mm	1275mm
Wacker Neuson RT82-SC2	850mm Remote Control	1497kg	850mm	1230mm
Bomag BMP8500	850mm Remote Control	1585kg	850mm	1275mm

TANDEM ROLLERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Bomag BW80AD-5	800mm	1550kg	856mm	2304mm
Bomag BW100AD-5	1000mm	1700kg	1072mm	2568mm
Bomag BW120AD-5	1200mm	2700kg	1272mm	2568mm
Bomag BW135AD-5	1350mm	4050kg	1300mm	2700mm
Bomag BW138AD-5	1380mm	4500kg	1380mm	2700mm



SELF-PROPELLED ROLLERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Hamm HC70i	7.0T	7060kg	2018mm	2883mm
Hamm HC70I P	7.0T Padfoot	7060kg	1866mm	2730mm
Bomag BW213DH-5	13.0T	12720kg	2270mm	2990mm
Bomag BW213PDH-5	13.0T Padfoot	13830kg	2270mm	2990mm
Caterpillar CS66B	13.0T	11665kg	2300mm	3100mm
Caterpillar CS66B	13.0T Padfoot	13770kg	2300mm	3100mm
Bomag BW219DH-5	19.0T	19400kg	2300mm	3034mm
Bomag BW219PDH-5	19.0T Padfoot	21000kg	2300mm	3034mm
Caterpillar CS78B	19.0T	18760kg	2500mm	3100mm
Caterpillar CS75B	19.0T Padfoot	19178kg	2500mm	3100mm

CALL OUR TEAM NOW ON **0330 119 8555**



Telehandlers

Fairfax supplies a diverse fleet of telehandlers with hire terms to suit both short and long term projects. From compact 4m models for tight spaces to 20m heavy-duty machines.

SCAN HERE



TELEHANDLER

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	LIFT CAP
Manitou MT420	4.0m	4260kg	1498mm	1981mm	2.0T
JCB 520-40	4.0m	4399kg	1550mm	1980mm	1.8T
JCB 525-60	6.0m	5490kg	1840mm	1890mm	2.5T
Manitou MT625	6.0m	4710kg	1810mm	1920mm	2.5T
JCB 560-80 WM	8.0m Wastemaster	11040kg	2540mm	2590mm	6.0T
JCB 535-95	9.5m	8215kg	2360mm	2490mm	3.3T
JCB 533-105	10.5m	8850kg	2360mm	2490mm	3.3T
JCB 535-125 Hiviz	12.5m	10066kg	2350mm	2590mm	3.5T
JCB 540-140 Hiviz	14.0m	11090kg	2350mm	2590mm	4.1T
JCB 540-170	17.0m	12060kg	2440mm	2690mm	4.0T
JCB 540-180 Hiviz	18.0m	11380kg	2350mm	2590mm	4.1T
JCB 540-200	20.0m	12985kg	2440mm	2720mm	4.0T

Trusted Brands



Telehandler Hire - Available With:

- ✓ **Human Form Recognition Systems “Global Safety Shield”**
- ✓ **4-wheel drive for rough terrain stability**
- ✓ **Advanced hydraulics for smooth, precise handling**
- ✓ **Load-sensing technology for safe lifting**
- ✓ **Automatic levelling for secure operation**

Telehandler Attachments

Maximise the versatility of your telehandler with Fairfax's range of high-performance attachments, available on flexible hire terms.

Telehandler Attachments:

- ✓ Buckets
- ✓ Forks
- ✓ Roof Truss Jibs
- ✓ Lifting hooks
- ✓ Block Grabs
- ✓ Sweepers
- ✓ Tipping Skips
- ✓ Fork Mounted Extending Jib



Need something specific? **If you don't see it listed, just give us a call and we'll get it sorted.**

Dozers

Fairfax offers an advanced dozer fleet, with both operated and self-drive hire available, short or long term. Perfect for moving high volume, soil and heavy materials.

Trusted Brands



KOMATSU

SCAN HERE



Why Choose Fairfax Dozers?

- ✓ **Human Form Recognition Systems**
- ✓ **Trimble earthworks equipped dozers for precise alignment & slope assist**
- ✓ **Advanced electro-hydraulic controls for smooth blade movement**
- ✓ **Power turn with differential steering**
- ✓ **Built with heavy-duty, durable components**
- ✓ **Designed for operator comfort & control**

DOZERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT
Caterpillar	D5	19170kg	3000mm	3200mm
Caterpillar	D6N	18096kg	2965mm	3108mm
Komatsu	D61PX-24	19460kg	3860mm	3180mm



Powered Access

Fairfax provides a versatile fleet of powered access machines with lift heights from 5.7m to 20m.

Trusted Brands



SCAN HERE



ARTICULATED BOOM LIFTS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	PLATFORM CAPACITY	PLATFORM HEIGHT
Manitou MAN GO 12	12.0m Diesel	4150kg	1800mm	2480mm	230kg	9.91m
Manitou 160 ATJ	15.0M Diesel	6118kg	2380mm	2630mm	230kg	14.02m
Manitou 200ATJ-X	20.0m Diesel	10050kg	2400mm	2850mm	230kg	18.28m

SCISSOR LIFTS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	PLATFORM CAPACITY	PLATFORM HEIGHT
Dingli S0807AC	5.80m Battery	1630kg	760mm	1830mm	270kg	5.80m
Dingli JCPT1008AC	8.0m Battery	2230kg	830mm	2000mm	230kg	8.00m
Sky Jack SJ6832 RT	9.75m Diesel- Rough terrain	3443kg	1760mm	2510mm	450kg	9.75m
Sky Jack SJ6832 RTE	9.75 Diesel/ Battery	4026kg	1760mm	2510mm	450kg	9.75m

TOWABLE BOOMS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	PLATFORM CAPACITY	PLATFORM HEIGHT
Nifty Lift 120T	12.0m Battery/Petrol	1400kg	1500mm	1900mm	200kg	10.20m

CALL OUR TEAM NOW ON **0330 119 8555**

FAIRFAX
PLANT HIRE

Forklifts & Skid Steer Loaders

Fairfax offers a fleet of forklifts and skidsteers for both short and long-term hire. From smooth warehouse floors to tough construction sites, we provide the right machine for the job.

SCAN HERE



Trusted Brands



The Range:

- ✓ **Compact diesel forklifts for tight spaces**
- ✓ **Heavy-duty rough terrain forklifts for outdoor sites**
- ✓ **Lifting capacities up to 3.0t**

FORKLIFTS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	LIFT CAP
Doosan D30S	3.0T Industrial	4633kg	1197mm	2183mm	3.8m	3.0T
Doosan D30NX	3.0T Industrial	4701kg	1290mm	2045mm	3.0m	3.0T
JCB 930-4	3.0T Rough Terrain	6340kg	2570mm	2950mm	6.5m	3.0T

SKID STEER LOADERS

MODEL	MACHINE CLASS	WEIGHT	WIDTH	HEIGHT	REACH	LIFT CAP
Gehl R150	2.7T	2690kg	1605mm	1948mm	3.0m	0.68T

Fuel & Water Bowsers

Fairfax supplies a robust range of bowsers, sourced exclusively from Western, the industry leader in fuel and water solutions. From compact 500L units to heavy-duty 9000L models.



Key Features:

- ✓ **Hand, 12V battery or petrol-powered delivery pumps**
- ✓ **Durable wheels & tough towing gear**
- ✓ **Suitable for both road and site use**

SCAN HERE



PRESSURE WASHER BOWSERS

MODEL	CAPACITY L	WEIGHT	WIDTH	HEIGHT
Western WD205	1100l Towable Jetwash Petrol/Diesel	350kg	1560mm	1350mm

WATER BOWSERS

MODEL	CAPACITY L	WEIGHT	WIDTH	HEIGHT
Western WD H250P	1100l Towable	350kg	1560mm	1350mm

TOWABLE FUEL BOWSERS

MODEL	CAPACITY L	WEIGHT	WIDTH	HEIGHT
Western ABBI H10ART (Road)	985l	655kg	1600mm	1700mm
Western ABBI H20ART (Site)	1940l	1100kg	1870mm	1700mm

STATIC FUEL BOWSERS

MODEL	CAPACITY L	WEIGHT	WIDTH	HEIGHT
Western ABBI Global 110A	500l	305kg	870mm	1120mm
Western ABBI 210AC-Contract	950l	410kg	1100mm	1360mm
Western ABBI 10ART	985l	470kg	1150mm	1250mm
Western ABBI 20ART	1940l	705kg	1410mm	1280mm
Western ENVIROBULKA 22EB	2160l	735kg	1420mm	1499mm
Western ENVIROBULKA 45EB	4200l	1030kg	1200mm	2030mm
Western ENVIROBULKA EBD1200	5331l	1517kg	1150mm	2548mm
Western ENVIROBULKA EBD2000	9213l	2480kg	2300mm	2526mm

CALL OUR TEAM NOW ON **0330 119 8555**



The story so far...

1985 – Where It All Began

Fairfax was founded, and the very first machine a Kubota KH31 mini excavator, marked the start of the Fairfax Plant Hire story. From a single piece of equipment, the foundations were laid for a family business built to last.

1990 – Building Connections

Kenneth Love became a partner in the company, bringing with him a wealth of civil engineering knowledge as well as the vital industry contacts needed to grow. As a result, Fairfax quickly established itself as a trusted name in the local construction sector.

1995 – The Next Generation Joins

Matthew Love, Kenneth's son, joined the business full-time as a delivery driver, gaining hands-on experience under the watchful eye of his father, and growing with the company.



2000 – A Family Business

Kenneth and Carolyn Love took full ownership of Fairfax Plant Hire. With a small but dedicated team of six staff.

2004 – A New Home in Hemingbrough

As demand for plant hire services in Yorkshire increased, Fairfax made a big move relocating to a larger site and purchasing our first official depot in Hemingbrough.

2005 – Scaling Up

Mark Love, Kenneth's eldest son, moved back North from London to help take the business to the next level.

2015 – A Legacy Continued

With the solid foundation laid by Kenneth, leadership was passed to Matthew and Mark Love.

2016 – West Yorkshire Expansion

Fairfax Plant Hire opened a new depot in Leeds

2017 – Moving into Our 8-Acre Selby HQ

Outgrowing our Hemingbrough yard, we relocated to a purpose built 8-acre site in Selby.

2024 – Reaching East Yorkshire

Continuing our growth journey, we proudly opened our third depot, serving East Yorkshire. With sites now in Selby, Leeds, and Hull, we're able to provide responsive, reliable plant hire solutions across the entire region.

2024 also saw Fairfax hit two significant milestones buying our 750th dumper and 1000th excavator.

“ The entire team embrace the realism of the pressures in today's construction industry and have a great understanding of the time constraints and milestones to be achieved by the contractor. ”
KELTBRAY

2025 – 40 Years of Fairfax

Fairfax Plant Hire celebrates 40 years in business! We've grown from one digger and a dream to a company with:

- **More than 120 employees**
- **A fleet of more than 2,000 machines**
- **Three fully operational depots**
- **A reputation as one of the most trusted names in plant hire across Yorkshire, Midlands and Beyond.**



“ We use Fairfax plant because, once we've decided what type of plant we require, it's a simple phone call or an email away. Delivery is always on time to suit our programme of works. ”
CR REYNOLDS

OUR HIRE FLEET

Fairfax Plant Hire have one of the most extensive modern fleets in Yorkshire, Midlands and Beyond. Whatever your project, we've got the right kit to keep your project moving.



SCAN HERE
TO VIEW WEBSITE

FAIRFAX PLANT HIRE

DEPOT LOCATIONS

SELBY (Barlby Road)

The Concrete Pad, PotterSpace,
Barlby Road, Selby YO8 5DZ

✉ hiredesk.barlby@fairfaxhire.co.uk

☎ **01757 638 794**

LEEDS

Unit 5, Haigh Park Road, Stourton,
Leeds LS10 1RT

✉ hiredesk.leeds@fairfaxhire.co.uk

☎ **0113 353 5353**

HULL

2 Jennings Street, Hull,
East Yorkshire HU87AN

✉ hiredesk.hull@fairfaxhire.co.uk

☎ **01482 424 409**

www.fairfaxhire.co.uk | info@fairfaxhire.co.uk

40 YEARS OF PROVEN PLANT HIRE EXPERIENCE | EXTENSIVE FLEET COMPRISING OF 2000 MACHINES